



NRT PAINT (PTY) LTD
PRESENTATION



www.nrtpaint.co.za



CONTENT

01

ABOUT US

02

VALUES

03

GENERAL INFORMATION

04

PRODUCT LINE

05


APPLICATION PROCEDURE

06


PHOTOS

Manufacturer & Applicator

VALUES



We manufacture quality products with only environmentally friendly ingredients and do not compromise on service delivery to our customers who is core to our business. Nobody is too big or too small to be an extension to our business. Our Quality and friendly service delivery speak for itself, and that is non-negotiable


C M Tromp (Director)
NRT Paint (Pty) Ltd

GENERAL INFORMATION

All Warranties are valid under NRT Paint Ltd when the applications were done as per the pre-described terms and conditions, and application was done by our team of professionals

NRT
Manufacturer & Applicator

WARRANTY & GUARANTEE POLICY

Workmanship Guarantee:-

NRT Paint guarantees all application work done by our team for 12 months.



Product Warranty (Roof Surfaces Only)

- A 3-year product warranty applies only when the product is:
 - Applied by NRT Paint's own team
 - Not altered or repaired by any third party
- An additional 2-year extension (total 5 years) is granted when the roof is recoated once with one layer NRT Liquid Rubber after 3 years.

Important Notes:-

- This warranty is valid only on roof surfaces of all types.
- If applied on walls, no warranty or guarantee applies.
- Any post-application repairs must be done exclusively by NRT Paint to maintain warranty validity.





NRT Paint Pty Ltd – Product and Workmanship Warranty

NRT Paint Pty Ltd hereby warrants its Liquid Rubber product **only when applied exclusively by the NRT professional team**, and strictly in accordance with the manufacturer's application guidelines:

The application surface must be thoroughly cleaned using a high-pressure washer, free from defects, debris, and rust (Rust treated where applicable). Once completely dry (not damp or wet), NRT Bonding Liquid must be applied to the entire surface. When dry, corners, joints, and roof bolts must be coated with NRT Liquid Rubber using a brush. Once dry, a minimum of two (2) full coats of NRT Liquid Rubber must be applied—either by brush or spray—allowing each coat to dry thoroughly before applying the next.

WARRANTY TERMS:

3 years from the date of first application, provided all preparation and application requirements are met and the application is performed by the NRT team.

- **Extended Warranty:** The product warranty may be extended up to **5 years** if, after 3 years, a **single additional coat** is applied by the NRT team.
- **Workmanship Guarantee:** 12 months on all application work done by the NRT team.

This warranty is only valid if all the following conditions are met:

1. **Immediate Reporting:** Any defect must be reported in writing upon discovery to:

✉ sales@nrtpaint.co.za | admin@nrtpaint.co.za | ☎ 022 880 0179

2. **Maintenance Compliance:** All waterproofing membranes, rainwater gutters, and outlets must be regularly maintained according to current South African Standards.

3. **Inspection Access:** NRT Paint Pty Ltd, its agents, or representatives must be granted access to inspect any alleged defective areas.

4. **Full Payment:** Full payment for both product and application must have been received by NRT Paint Pty Ltd or its authorized agent.

5. **Liability Limit:** The warranty liability is limited to the replacement cost of the material only.

6. **Exclusion of Consequential Losses:** NRT Paint Pty Ltd shall not be liable for indirect, special, or consequential damages, including (but not limited to) loss of profits, business, or revenue.


7. **Defective Application:** This warranty covers defects resulting from **negligent or defective application by the NRT team only** (Any prep. work done by another contractor is excluded, or where the surface condition is not proper and is noted to the client before any paintwork started)

8. **Invalidation Clauses:** The warranty becomes void if:


- The area has been tampered with by unauthorized parties.
- The premises or application surface is unsuitable for the product.

9. **Exclusions:** This warranty does not cover:

- Mechanical damage, hail, lightning, falling trees.
- Lack of maintenance, including gutter neglect.
- Structural defects such as cracks.



C M Tromp (Director)
NRT Paint (Pty) Ltd



PRODUCT LINE



All Purpose Liquid Rubber Paint

- NRT Paint Sealants is a coating material, which resists water penetrating the substrate
- Product remains flexible for years even after extended exposure to the environment
 - Durable and UV resistant
 - Highly water resistant
 - Good elasticity and flexibility
 - Excellent adhesion
- Excellent no mess application properties
- Quick dry 2 coats can be applied in 1 day
 - User Friendly
 - Water based and solvent free
 - Non-Toxic Maintenance free
 - High flex & great elasticity
 - Anti rust protection
 - Non-flammable chemicals used
 - Low odor
- **Can be applied on all types of roofing:- steel, concrete, bricks, plastic (Some clients use it on walls, ceilings & many more).**

PRODUCT LINE

Fiber Tech is a superior polymer based waterproofing product to fill and seal cracks. No need for membranes. Strong adhesive properties, its non-dripping and easy to apply. UV and weather resistant. Durable and flexible.



PRODUCT LINE



Bonding Liquid is a solvent-based primer and sealer, which has been specially formulated to provide excellent penetrating properties for adhesion to surfaces.

NRT

Manufacturer & Applicator

APPLICATION PROCEDURE

- 1. Power wash area if needed**
- 2. Apply NRT Bonding liquid of full area needed**
- 3. Prepare rusted areas and where need be remove old paint.**
- 4. Use NRT Fiber Tech for copings, edges, corners, joints and cracks.**
- 5. Apply 1st coat NRT Liquid Rubber paint.**
- 6. Apply 2nd coat NRT Liquid Rubber paint.**
- 7. After 3 years apply coat of NRT Liquid Rubber.**

Manufacturer & Applicator





2022/11/9 14:31







THANK YOU KINDLY



We look forward to provide you with our world class products

